Grower commodity declaration

Mungbean and black gram



Grower details

Name:				Contract r	number:	
Trading as:						
Mobile/Phon	e:	Fax:	Email:			
Postal addres	S:					
					Postcode:	
Crop deta	ails					
Property nam	ne:		Paddock name:			
Variety:		PI	anting seed line number:			
Place of seed	purchase:		Planting date:		Harvest date:	
Delivered to:				Date/s delive	ered:	
Weighbridge,	/receival numbers:			Silo/line number ((optional):	
Crop prot		e applied to the crop (from plan	iting to harvest).			
	Product name	Active ingredient/s		Formulation strength	Application rate	Date applied
Herbicide						
Insecticide						
Fungicide						
Desiccant						
		esticides on-farm hold either a c onal Farm Chemical User's Trainir		r's		
by Chen	nCert Australia?				(Select)	No 🔲 Yes 🔲
		rty with an <i>organochlorine stati</i> e because of organochlorine res		ın,	(Select)	No □ Yes □



Animal, industrial and municipal waste

Jarvesting and storage arvest date:	Towns of a minus large		C			D-4		
agricultural waste (piggeries, dairies, feedlots), or a municipal sewerage works? If yes, what was the type of waste: Has irrigation water contaminated with industrial waste, agricultural waste (piggeries, dairy, feedlots), or municipal sewerage waste been used to irrigate the crop? If yes, what was the type of waste: To the best of your knowledge, has any of the transport equipment (the truck or crate) been used to tarnsport or store livestock or animal waste products in the last one year? If Yes; please provide details in the table below. Select) No Yes Type of livestock Date transported Detail method of deaning Date of cleaning Product name Active ingredient Active ingredient Rethod of deaning Water pressure Compressed air Scrub down Industrial deaner (product/rate) Rethod of deaning Scrub down Scrub down Industrial deaner (product/rate) Rethod of deaning Scrub down Scrub dow	type of animal manure/w	aste	Source	Арриса	ation rate	Date appl	lied	
agricultural waste (piggeries, dairies, feedlots), or a municipal sewerage works? If yes, what was the type of waste: Has irrigation water contaminated with industrial waste, agricultural waste (piggeries, dairy, feedlots), or municipal sewerage waste been used to irrigate the crop? If yes, what was the type of waste: To the best of your knowledge, has any of the transport equipment (the truck or crate) been used to transport or store livestock or animal waste products in the last one year? If Yes, please provide details in the table below. Select) No Yes Type of livestock Date transported Detail method of cleaning Date of cleaning Date of cleaning Product name Active ingredient Active ingredient Rethod of cleaning Wethod of cleaning Wethod of cleaning Guipment Water pressure Compressed air Scrub down Industrial cleaner (product/rate) Leaner Compressed air Scrub down Industrial cleaner (product/rate) Date application Compressed Compr								
agricultural waste (piggeries, dairies, feedlots), or a municipal sewerage works? If yes, what was the type of waste: Has irrigation water contaminated with industrial waste, agricultural waste (piggeries, dairy, feedlots), or municipal sewerage waste been used to irrigate the crop? If yes, what was the type of waste: To the best of your knowledge, has any of the transport equipment (the truck or crate) been used to tarnsport or store livestock or animal waste products in the last one year? If Yes; please provide details in the table below. Select) No Yes Type of livestock Date transported Detail method of deaning Date of cleaning Product name Active ingredient Active ingredient Rethod of deaning Water pressure Compressed air Scrub down Industrial deaner (product/rate) Rethod of deaning Scrub down Scrub down Industrial deaner (product/rate) Rethod of deaning Scrub down Scrub dow								
agricultural waste (piggeries, dairies, feedlots), or a municipal severage works? If yes, what was the type of waste: Proximity to crop: Has irrigation water contaminated with industrial waste, agricultural waste (piggeries, dairy, feedlots), or municipal severage waste been used to irrigate the crop? (Select) No								
- Has irrigation water contaminated with industrial waste, agricultural waste (piggeries, dairy, feedlots), or municipal sewerage waste been used to irrigate the crop? If yes, what was the type of waste: - To the best of your knowledge, has any of the transport equipment (the truck or crate) been used to transport or store livestock or animal waste products in the last one year? If Yes, please provide details in the table below. If yes what was the type of waste: - To the best of your knowledge, has any of the transport equipment (the truck or crate) been used to transport or store livestock or animal waste products in the last one year? If Yes, please provide details in the table below. If yes of livestock Date transported Date transported Date of cleaning Area: - Were insecticides used to disinfect grain handling and storage equipment? If Yes, please provide details in the table below. Formulation Application Application Date applied Product name Active ingredient Method of deaning Requipment Water pressure Compressed air Scrub down Industrial cleaner (product/rate) Date applied Augers / Conveyors						(Select)	No 🗖	Yes 🗖
Feedlots , or municipal sewerage waste been used to irrigate the crop? Yes	If yes, what was the type	of waste:			Proximity to crop:			
To the best of your knowledge, has any of the transport equipment (the truck or crate) been used to transport or store livestock or animal waste products in the last one year? If 'Yes', please provide details in the table below. Type of livestock Date transported Detail method of cleaning Date of cleaning						(Select)	No 🗆	Yes 🖵
To the best of your knowledge, has any of the transport equipment (the truck or crate) been used to transport or store livestock or animal waste products in the last one year? If Yes', please provide details in the table below. Type of livestock Date transported Detail method of deaning Date of deaning	If yes, what was the type	of waste:			Proximity to crop:			
Type of livestock Date transported Detail method of cleaning Date of cleaning Carvesting and storage Date of cleaning Date of cleani								
larvesting and storage arvest date: Were insecticides used to disinfect grain handling and storage equipment? If 'Yes', please provide details in the table below. Product name Active ingredient Product name Active ingredient Method of cleaning harvesting and storage equipment and date (tick appropriate boxes in the table below). Method of cleaning Equipment Water pressure cleaner Compressed air Augers / Conveyors Industrial deaner (product/rate) Date applied Augers / Conveyors Grading equipment Grading equipment Grading equipment Was any loaded transport equipment left overnight in a position likely to be fouled	•				•	(Select)	No 🖵	Yes 🔲
Were insecticides used to disinfect grain handling and storage equipment? If 'Yes', please provide details in the table below. Collect No Yes Product name	Type of livestock	Date transp	orted	Detail method of c	eaning D	ate of clean	ing	
arvest date: Were insecticides used to disinfect grain handling and storage equipment? If Yes', please provide details in the table below. Select) No Yes Product name								
Area: Were insecticides used to disinfect grain handling and storage equipment? If 'Yes', please provide details in the table below. Formulation strength rate applied Select No Yes Product name Active ingredient Formulation strength Area: Product name Active ingredient Formulation strength Application strength Product Produ								
Area: Were insecticides used to disinfect grain handling and storage equipment? If 'Yes', please provide details in the table below. Formulation strength rate applied Select No Yes Product name Active ingredient Formulation strength Area: Product name Active ingredient Formulation strength Application strength Product Produ								
Area: Were insecticides used to disinfect grain handling and storage equipment? If 'Yes', please provide details in the table below. Formulation strength rate applied Select No Yes Product name Active ingredient Formulation strength Area: Product name Active ingredient Formulation strength Application strength Product Produ								
Area: - Were insecticides used to disinfect grain handling and storage equipment? If Yes', please provide details in the table below. - Detail method of cleaning harvesting and storage equipment and date (tick appropriate boxes in the table below). - Detail method of cleaning harvesting and storage equipment and date (tick appropriate boxes in the table below). - Detail method of cleaning harvesting and storage equipment and date (tick appropriate boxes in the table below). - Detail method of cleaning harvesting and storage equipment and date (tick appropriate boxes in the table below). - Method of cleaning - Equipment - Water pressure - Compressed air - Scrub down - Industrial cleaner - (product/rate) - Meader - Augers / Conveyors - Grading equipment - Grading equipment - Grading equipment - Was any loaded transport equipment left overnight in a position likely to be fouled	larvocting and ctors	000						
Were insecticides used to disinfect grain handling and storage equipment? If "Yes," please provide details in the table below. Collect No Yes Product name	•							
details in the table below. Product name								
Detail method of cleaning harvesting and storage equipment and date (tick appropriate boxes in the table below). Method of cleaning						(Salast)	🗖	
Detail method of cleaning harvesting and storage equipment and date (tick appropriate boxes in the table below). Method of cleaning Equipment Water pressure Compressed air Scrub down Industrial cleaner Date application Cleaner (product/rate)		t name Active ingredient				(Select)	No 🖵	Yes 🖵
Equipment Water pressure Compressed air Scrub down Industrial cleaner (product/rate) Header	Product name	Active ingr	edient			Applica		Date
Equipment Water pressure Compressed air Scrub down Industrial cleaner (product/rate) Header	Product name	Active ingr	edient			Applica		Date
Equipment Water pressure Compressed air Scrub down Industrial cleaner (product/rate) Header	Product name	Active ingr	edient			Applica		Date
Equipment Water pressure Compressed air Scrub down Industrial cleaner (product/rate) Header	Product name	Active ingr	edient			Applica		Date
Equipment Water pressure cleaner cleaner Header Augers / Conveyors Field bins Grading equipment Was any loaded transport equipment left overnight in a position likely to be fouled Scrub down Industrial cleaner (product/rate) Date appli (product/rate)					strength	Applica		Date
tleader			quipment and date (tick		strength	Applica		Date
Augers / Conveyors	Detail method of cleanin	g harvesting and storage ed	quipment and date (tick Method of cleaning	appropriate boxes in the ta	strength ble below).	Applica rate		Date applied
Field bins	Detail method of cleanin	g harvesting and storage ed Water pressure	quipment and date (tick Method of cleaning	appropriate boxes in the ta	strength ble below).	Applica rate		Date
Grading equipment	Detail method of cleanin Equipment	g harvesting and storage ed Water pressure cleaner	quipment and date (tick Method of cleaning Compressed air	appropriate boxes in the ta	strength ble below).	Applica rate		Date applied
Storage facilities	 Detail method of cleanin Equipment Header 	g harvesting and storage ed Water pressure cleaner	quipment and date (tick) Method of cleaning Compressed air	appropriate boxes in the ta Scrub down	strength ble below).	Applica rate		Date applied
Was any loaded transport equipment left overnight in a position likely to be fouled	Detail method of cleanin Equipment Header Augers / Conveyors	g harvesting and storage ed Water pressure cleaner	quipment and date (tick Method of cleaning Compressed air	appropriate boxes in the ta Scrub down	strength ble below).	Applica rate		Date applied
	Detail method of cleanin Equipment Header Augers / Conveyors Field bins	g harvesting and storage ed Water pressure cleaner	quipment and date (tick) Method of cleaning Compressed air	appropriate boxes in the ta Scrub down	strength ble below).	Applica rate		Date applied
	Detail method of cleanin Equipment Header Augers / Conveyors Field bins Grading equipment	g harvesting and storage ed Water pressure cleaner	quipment and date (tick of the compressed air	appropriate boxes in the ta Scrub down	strength ble below).	Applica rate		Date applied
	Detail method of cleanin Equipment Header Augers / Conveyors Field bins Grading equipment Storage facilities	g harvesting and storage ed Water pressure cleaner	quipment and date (tick) Method of cleaning Compressed air	appropriate boxes in the ta	strength ble below).	Applica rate		Date applied
How long has the harvested grain been held on-farm? days	Detail method of cleanin Equipment Header Augers / Conveyors Field bins Grading equipment Storage facilities Was any loaded transpor with bird or rodent excre	g harvesting and storage ed Water pressure cleaner	quipment and date (tick of the compressed air of the compressed ai	appropriate boxes in the ta	strength ble below). Industria (produc	Applica rate	tion	Date applied Date applie

Certification statement

I certify that:

- 1. To the best of my knowledge all pesticides applied by either myself or others on my behalf in the production of this crop have been applied in accordance with the registered label or AVPMA permit for those chemicals, and that the withholding period for the chemicals have been observed.
- 2. To the best of my knowledge this crop has been grown in accordance with the Code of Hygienic Practice for Mungbeans.

Grower's signature:	Date:	
Grower's name (please print):		

On-farm hygiene and food safety

Because Mungbean can be consumed without cooking, it is absolutely critical that growers adopt this code of practice and hygienic on-farm practices if Australia is to maintain its reputation as a producer of clean and hygienic foodstuffs for both the domestic and overseas markets.

A *Code of Hygienic Practice* was originally established in 1989 by the Australian Quarantine and Inspection Service (AQIS) in an effort to improve food safety and hygiene issues across the pulse and oilseed industries. This legislation was repealed in 2007 and the Australian Mungbean Association (AMA) has subsequently introduced a voluntary *Code of Hygienic Practice* to ensure that food safety standards across the industries are maintained at the same high standard as achieved over the last 25 years.

The section of the Code that relates directly to mungbean growers and which outlines growers' responsibilities is provided below, under the heading *Hygienic requirements on the farm and during transport to the mill*.

Growers need to familiarise themselves with this section of the Code and need to understand that while there is not direct licensing or inspection of on-farm handling and storage facilities, there is an industry obligation to comply with the hygienic requirements as set out under the Code.

A full copy of the AMA *Code of Hygienic Practice* is available on line at www. mungbean.org.au

AMA Code of hygienic practice for pulses and legumes Section I – Scope

This code describes general hygienic practices for use in the handling (including growing and harvesting, preparation, processing, packaging, storage, transport and distribution) of mungbeans for human consumption in order to ensure a clean, safe, and wholesome product.

For a full copy visit: www.mungbean.org.au

Section II – Hygienic requirements on the farm and during transport to the mill

Protection of crops from contamination by wastes

Crops should be protected from contamination by human, animal, domestic, industrial and agricultural wastes, which could cause microbial contamination.

Pest and disease control of crops

Control measures involving treatment with chemical, physical or biological agents should only be undertaken as prescribed under APVMA registration and guidelines.

Harvesting and storage on the farm and transport to the mill

- Techniques—methods and procedures associated with harvesting, storage on the farm and transport to the mill should be hygienic and such as not to allow any microbial or other contamination of the product. Particular care should be taken to prevent cross contamination from animals (birds, rodents and other pests), stockfeed, and other animal products (meat meal, etc.).
- Equipment and containers—equipment and containers used for harvesting, storage and transport should be so constructed to allow easy and thorough cleaning. They should be kept clean and, where necessary, disinfected.
- Removal of obviously unfit raw materials—product that is obviously
 unfit for human consumption should be segregated at harvesting. It
 cannot be made fit by further processing, and should be disposed of in a
 way that avoids contamination of any product for human consumption.
- Protection against contamination and damage—during storage on the farm and subsequent transport to the mill, the product should be protected from insects and pests and microbial contamination. Care should also be taken to avoid damage to the product as this predisposes it to microbial spoilage.

Commonly used pesticides, registered (or under permit), in mungbeans (Qld and NSW) as of February 2025.

Check permit expiry date before applying.

Chemical name	Example Product trade names	Application rate/ha	WHP (days)
Insecticide		1 41 5 2/ 114	(uuy)
abamectin	various	300 mL	28
alpha-cypermethrin	Dominex	various	7
acetamiprid/emamectin	Skope	0.16 or 0.32 L	28
Bacillus thuringiensis (Bt)	Bt Dipel®	0.5 to 2.0 kg	0
chlorantraniliprole	Altacor® / Vantacor®	70 g / 0.04 L	14
chlorpyrifos** (grain bait)	Lorsban 500	0.1 L	na
clothianidin**	Sumitomo Shield	0.125 to 0.375 L	***
cypermethrin	Cypermethrin 260 EC	0.29 to 0.385 L	7
deltamethrin	Decis options®	0.5 L	7
dinotefural	Starkle 200 SG	90 g	14
dimethoate	Dimethoate 400	0.25 to 0.5 L	14
esfenvalerate#	Sumi-Alpha® Flex	0.4 or 0.5 L	14
gamma-cyhalothrin*	Trojan®	0.05 or 0.06 L	14
nucleopolyhedrovirus NPV	VivusMax® + Optimol	0.15 L	0
indoxacarb**	Steward®	0.4 L	21
lambda-cyhalothrin**	Karate® Zeon	0.06 or 0.07 L	14
methomyl 225**	Electra 225, Nudrin® 225	1.5-2.0 L	7
methoxyfenozide + spinetoram	Intrepid Edge Jemvelva	300 to 350 mL	‡
paraffinic oil	Biopest, Canopy®	>0.5 to 2 L	1
pirimicarb**	Pirimor® WG, Aphidex	>200 g	21
thiodicarb 375	Larvin®, Showdown	0.5 to 0.75 L	21
Herbicide			
acifluorfen	Blazer®, Ardeo	1–2 L	28
butroxydim	Factor™ WG	120 or 180 g	***
clethodim	Status 240	0.250 to 0.375 L	***
haloxyfop 520	Verdict™ 520	max. 0.15 L	***
imazamox** (apply post-em)	Raptor 700, Claw 350	various	21
imazethapyr (apply PSPE)	Spinnaker 700 WDG®	100 g	n/a
metolachlor (apply pre-em)	Dual Gold®	1.0 to 2.0 L	n/a
pendimethalin (apply pre-plant)	Stomp® Xtra	1.8-2.2 L	n/a
trifluralin 480 (apply pre-plant)	Treflan 480™	1.2-1.7 L	n/a
Fungicide			
tebuconazole	various	various	21
azoxystrobin + tebuconazole	Veritas Opti	0.16-0.32 L	28
Crop desiccation			
diquat	Reglone®	2.0-3.0 L	2-5^
glyphosate	Roundup (various products)	>1.0 to 2 L	7
metsulfuron-methyl**	various (e.g. Surefire P/L)	5 g	7
saflufenacil	Sharpen	34 g	7
Stored grain insecticide			
phosphine	Fostoxin, Fumitoxin	0.6-1.5 g/m ³	2
Rodenticide			
zinc phosphide	Mouse-off grain bait	1 kg grain bait	14
OLD only * not in	southern NSW	** under APVMA	n a vm it

QLD only

* not in southern NSW

BEFORE USING CHEMICALS

Check current
registration status
Read the chemical label

The list contains pesticides *under permit*. Permit details are not provided on the product label and will need to be accessed via the APVMA website: www.apvma.gov.au

Always check permit expiry dates before use.

Withholding period (WHP) – the minimum number of days that must elapse between spraying of the chemical and harvest of the crop for grain. Observing the WHP should ensure that pesticide residues are below the accepted MRL. Note that Grazing and Export Slaughter WHPs may be different to the Harvest WHP. Check the label and APVMA website for details.

While every effort is made to ensure that the data is complete and accurate, no warranties, expressed or implied, are given as to the accuracy of this information

This publication is only a guide to the use of pesticides. The correct choice of chemical, rate and method of application are the sole responsibility of the user.

For more information

Australian Mungbean Association (AMA): info@mungbean.org.au www.mungbean.org.au

Paul McIntosh, AMA Industry Development Agronomist: 0429 566 198

Department of Primary Industries, Queensland
Business Information Centre: 13 25 23 www.dpi.gld.gov.au

NSW Department of Primary Industries and Regional

Development: www.dpi.nsw.gov.au

Australian Government Department of Agriculture: www.daff.gov.au

Australian Pesticides and Veterinary Medicines Authority (APVMA): www.apvma.gov.au

This Grower Commodity Declaration has been compiled by the Department of Agriculture and Fisheries, Queensland in consultation with the Australian Mungbean Association, Australian Government Department of Agriculture, and NSW Department of Primary Industries and Regional Development.



^{**} under APVMA permit

^{***} DO NOT apply after first flower buds are visible

[‡] DO NOT apply after early pod development.

[^]Label suggests 2 to 5 days post application for efficacy with Diquat